

#### PRODUCT DESCRIPTION

- Hides the light source the brightest, contrasting element of the lighting fixture.
- Narrow light angle.
- The recessed cover eliminates the gleaming effect.
- Allows the use of more efficient, transparent covers without compromising the aesthetics of the lighting fixture (LED points remain invisible).
- Allows you to create continuous light arrangements.
- An extensive range of fasteners.



_					
	IΝ		С.	ш.	
	יוו	чı	. つ	п	

	: 1	١	_		_		_	_	i7	_	_	
$\overline{}$		\ /	$\Box$	r	$\rightarrow$	n	$\cap$	$\cap$	17	$\Box$	П	



Black anodized

### Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

### **TECHNICAL SPECIFICATION**

#### **Application**

For use in interior architecture.

For creating linear lighting fixtures, continuous light arrangements.

For backlighting components where the light source is to remain hidden.

### **Assembly**

Mounted to the surface with appropriate mounting adhesives, mounting springs and screws.

Suspended with the UCHO-ZM fastener or the PUSZ system.

#### **Additional information**

- spece for LED strip: 0.56" / 14.4 mm

The advantages of the lighting fixture can best be observed with the black finish of the profile walls. We recommend the anodized black satin finish. The fixture minimizes glare without causing discomfort. The source of light is concealed in the PDS-ZMG extrusion which makes larger interiors with a large number of lighting fixtures more comfortable, as your eyes are not exposed to the brightest part of the fixture.


It can be equipped with transparent or frosted covers We recommend use in the kitchen under cupboards,



especially in open kitchenettes; wherever you can see the lighting fixture from a sitting or lying position or from a child's height.

The fixture can be equipped with transparent or frosted covers.

## **TECHNICAL DRAWING**





### **RELATED EXTRUSIONS**



45-16 Extrusion Ref: B8504ANODA

### **RELATED PRODUCTS**

### **COVERS**



HS Cover clear Ref: 1370



HS Cover frosted Ref: 1369



KA Cover clear Ref: 17036



KA Cover frosted Ref: 17035



LIGER Cover black Ref: 17040



LIGER Cover frosted Ref: 17037 (Old ref. 17031)

# **END CAPS**



PDS-G End cap Ref: 24330



PDS-G black End cap Ref: 24320

## **ACCESSORIES**



FI-10-ZM-P Fastener Ref: 42244



FI-10-ZM-W Fastener Ref: 42242



PUSZ-LIN-ZM Fastener Ref: 42256



PUSZ-PRET-ZM Fastener Ref: 42250



BZP Head Ref: 42213



BZP-ZZ Head conductive Ref: 42215



DP-ZZ Fastener Ref: 00651





GP Spring Ref: 00293



UCHO-ZM Hanger Ref: 42512



M3 Mounting set Ref: 42303



ZM-120 Connector Ref: 42728



ZM-135 Connector Ref: 42720



ZM-180 Connector Ref: 42717



ZM-90 Connector Ref: 42716



ZM-PION-135 Connector Ref: 42719



ZM-PION-90 Connector Ref: 42718



6x1.2 Gland Ref: 00802



ZM Block Ref: 42520